2015 ABOVE GROUND POOLS COLLECTION

INFLATE YOUR FUN™

SHANGHAI

Bestway Inflatables & Material Corp. No.3065 Cao An Road, Shanghai, 201812, China Tel: 86 21 6913 5588 Fax: 86 21 5913 8383 E-mail: info@bestway-shanghai.com

CENTRAL & SOUTH AMERICA

Bestway Central & South America Ltda Salar Ascotan 1282, Parque Enea, Pudahuel, Santiago, Chile Tel: 562 2365 0315 Fax: 562 2365 0323 E-mail: info@bestway-southamerica.com

HONG KONG

Bestway (Hong Kong) International Ltd.
Suite 713, 7/Floor, East Wing, Tsim Sha Tsui Centre,
66 Mody Road, Kowloon, Hong Kong
Tel: 852 2997 7169
Fax: 852 2997 7869
E-mail: info@bestway-hongkong.com

U.S.A.

Bestway (USA) Inc.
3249 E. Harbour Drive, Phoenix, Arizona 85034,
United States of America
Tel: 1 480 838 3888
Fax: 1 480 304 3349
E-mail: sales@bestway-northamerica.com

EUROPE

Bestway (Europe) S.r.l.
Via Resistenza 5,
20098 San Giuliano M.se (Mi) - Italy
Tel: 39 02 9884 881
Fax: 39 02 9884 8828
E-mail: info@bestway-europe.com


AUSTRALIA

Bestway Australia Pty Limited Unit 10/71-83 Asquith Street, Silverwater, NSW 2128, Australia Tel: 61 2 9037 1388 Fax: 61 2 9737 9423 E-mail: info@bestway-australia.com



ABOVE GROUND POOLS







01

2015 Merchandising Display



Provide your customers with quality products and the advanced customer service support they deserve. Bestway's Internet services and Centers facilitate customers to easily resolve issues that arise with their Bestway products. Our multilingual website, www.bestway-service.com is a knowledge base that offers downloadable manuals, instructional DVDs, along with FAQs and the ability for customers to order spare parts. Regional Centers provide the added dimension of support for those unfamiliar with computers or unable to find specific answers to their questions.





2015 Packaging Display



After Sales Customer Service Support










Table of Contents

Frame Pools

Splash Frame Pools



Frame Pools

Fast Set™ Pools

Steel Pro™ Frame Pools



Power Steel™ Frame Pools



Power Steel™ Rectangular Frame Pools

Steel Wall

Pools



Steel Pro™ Oval Frame Pools



Advanced Water Maintenance Systems

30



00

Pool Accessories

32

Water Filters



4:



Mini Above Ground Pools

4 Fast Set™ Pools



 $_{0}4$ Frame Pools



 $_0$ Frame Pools



Plav Pnr







TriTech™

TriTech™, a 3-ply reinforced material with a polyester mesh-core encased in two layers of laminated PVC, that offers superior strength and durability. This premium grade, above ground pool material, can withstand extreme conditions including exposure to ultraviolet rays and chlorine, plus it's stress-tested against the weight and strain of large volumes of water.



1.98m x 51cm (78" x 20")

Water capacity (80%): 1,126 L (298 gal.)





Item No.	Pack	kg (Lb.)	Remark	DVD	Package	Filter Pump	Voltage	Filter Cartridge
57252	3	12.4 (27.3)			Color Box			

2.44m x 66cm (8' x 26")

Water capacity (80%): 2,300 L (608 gal.)





Item No.	Pack	kg (Lb.)	Remark	DVD	Package	Filter Pump	Voltage		Filter Cartridge
57008	1	6.2 (13.6)			Color Box				
57099	1	8.2 (18.1)			Color Box	58144 (330 gal.)	110-120V	•	58168 🗀
57100	1	7.7 (17.0)	Europe		Color Box	58145 (330 gal.)	220-240V	•	58093 🕕 🔚
57066	1	8.9 (19.6)	France		Color Box	58149 (530 gal.)	220-240V	•	58094 🕕 📜

3.05m x 76cm (10' x 30")

Water capacity (80%): 3,638 L (961 gal.)

(()



Item No.	Pack	kg (Lb.)	Remark	DVD	Package	Filter Pump	Voltage	Filter Cartridge
57009	1	8.6 (19.0)			Color Box			
57108	1	10.5 (23.2)			Color Box	58144 (330 gal.)	110-120V	58168 🖤 📒
57109	1	10.1 (22.3)	Europe		Color Box	58145 (330 gal.)	220-240V	58093 🕕 📁
57072	1	11.2 (24.7)	France		Color Box	58149 (530 gal.)	220-240V	58094 🕕 📜

3.66m x 76cm (12' x 30")

Water capacity (80%): 5,377 L (1,421 gal.)



C	
	l
- 1	70 0

Item No.	Pack	kg (Lb.)	Remark	DVD	Package	Filter Pump	Voltage		Filter Cartridge
57032	1	12.8 (28.2)			Color Box				
57111	1	14.7 (32.5)			Color Box	58144 (330 gal.)	110-120V	•	58168 (V)
57112	1	14.3 (31.6)	Europe		Color Box	58145 (330 gal.)	220-240V	•	58093 🕕 🔚
57074	1	15.4 (34.0)	France		Color Box	58149 (530 gal.)	220-240V	•	58094 🕕 🚺



TriTech[™]

TriTech™, a 3-ply reinforced material with a polyester mesh-core encased in two layers of laminated PVC, that offers superior strength and durability. This premium grade, above ground pool material, can withstand extreme conditions including exposure to ultraviolet rays and chlorine, plus it's stress-tested against the weight and strain of large volumes of water.



RE-ENGINEERED

57018

57144

57123

3.66m x 91cm (12' x 36")

Water capacity (80%): 6,665 L (1,760 gal.)







							1 -						
Item No.	Pack	kg (Lb.)	Remark	DVD	Ground Cloth	Cover	Ladder	Filter Pump	Voltage		Filter C	Cartri	dge
57164	1	15.6 (34.3)											
57262	1	18.2 (40.0)						58147 (530 gal.)	110-120V	•	58012		0
57263	1	17.6 (38.9)	Europe					58148 (530 gal.)	220-240V	•	58094		
57142	1	29.8 (65.7)	France				58044FR	58149 (530 gal.)	220-240V	•	36094		

4.57m x 91cm (15' x 36")

Pack

Water capacity (80%): 10,179 L (2,689 gal.)

kg (Lb.)

22.0 (48.5) 24.7 (54.4) 24.2 (53.2)

35.0 (77.3)

36.9 (81.2)

35.3 (77.9)

38.5 (85.0)



DVD Ground Cloth

Remark

Europe



58035

58035



58044FR

58042

58045



Voltage		Filter Cartridge					
110-120V	•	58012		0			
220-240V	•	58094		0			
220-240V	•	36094					
110-120V	•	58012		0			
220-240V	•	58094		A			
220-240V	•	36094		V S			

4.57m x 1.07m (15' x 42")

Water capacity (80%): 12,362 L (3,266 gal.)







		c	
		ď	_
		L	,
		μ	L

em No.	Pack	kg (Lb.)	Remark	DVD	Ground Cloth	Cover	Ladder	Filter Pump	Voltage		Filter Cartridge
57023	1	24.2 (53.4)		✓							
57126	1	39.5 (87.1)		\checkmark	58003	58035	58041	58147 (530 gal.)	110-120V	•	58012 🕕 📜
57127	1	38.0 (83.8)	Europe	\checkmark	58003	58035	58044	58148 (530 gal.)	220-240V	•	58094 🕕 🚺
7084	1	40.3 (88.9)	France	\checkmark	58003	58035	58044FR	58149 (530 gal.)			36094







TriTech™

TriTech™, a 3-ply reinforced material with a polyester mesh-core encased in two layers of laminated PVC, that offers superior strength and durability. This premium grade, above ground pool material, can withstand extreme conditions including exposure to ultraviolet rays and chlorine, plus it's stress-tested against the weight and strain of large volumes of water.

Cover











Filter Pump



4.57m x 1.22m (15' x 48")

Water capacity (80%): 13,807 L (3,648 gal.)









em No.	Pack	kg (Lb.)	Remark	DVD	Ground Cloth	Cover	Ladder	Filter Pump	Voltage
57147	1	45.0 (99.1)		\checkmark	58003	58035	58096	58116 (800 gal.)	110-120V
7148	1	43.8 (96.5)	Europe	\checkmark	58003	58035	58097	58117 (800 gal.)	220-240V
57150	1	47.0 (103.6)	France	✓	58003	58035	58097FR	58118 (800 gal.)	220-240V

	Filter	Cartr	ıdge
•	58012		0
•	58094		0

5.49m x 1.22m (18' x 48")

Item No. 57229 57212

Water capacity (80%): 21,182 L (5,596 gal.)









er Pump	,
(1500 1)	

) .	Pack	kg (Lb.)	Remark	DVD	Ground Cloth	Cover	Ladder	Filter Pump	Voltage
	1	57.4 (126.5)		✓	58031	58073	58096	58121 (1500 gal.)	110-120V
	1	56.8 (125.2)	Europe	\checkmark	58031	58073	58097	58122 (1500 gal.)	220-240V
	1	59.7 (131.7)	France	\checkmark	58031	58073	58097FR	58123 (1300 gal.)	220-240V

Filter	Cartr	idge
58012		0
		58012



Splash Frame Pools



TriTech™

TriTech™, a 3-ply reinforced material with a polyester mesh-core encased in two layers of laminated PVC, that offers superior strength and durability. This premium grade, above ground pool material, can withstand extreme conditions including exposure to ultraviolet rays and chlorine, plus it's stress-tested against the weight and strain of large volumes of water.



Item No.	Name	Size	Pool	Water capacity (90%)	Pack	kg (Lb.)
56040	Splash Jr. Frame Pool	2.21m x 1.50m x 43cm (87" x 59" x 17")	✓	1,200 L (317 gal.)	1	11.3 (24.8)
56041	Splash Frame Pool	2.39m x 1.50m x 58cm (94" x 59" x 23")	✓	1,800 L (476 gal.)	1	14.0 (30.9)
56042	Deluxe Splash Jr. Frame Pool	2.59m x 1.70m x 61cm (102" x 67" x 24")	✓	2,300 L (608 gal.)	1	16.1 (35.4)
56043	Deluxe Splash Frame Pool	3.00m x 2.01m x 66cm (118" x 79" x 26")	✓	3,300 L (872 gal.)	1	20.3 (44.7)
56044	Family Splash Frame Pool	4.00m x 2.11m x 81cm (157" x 83" x 32")	✓	5,700 L (1,506 gal.)	1	32.1 (70.7)

3.00m x 2.01m x 66cm (118" x 79" x 26") Water capacity (90%): 3,300 L (872 gal.)



Item No.	Name	Pack	kg (Lb.)	Remark	Filter Pump	Voltage		Filter Cartridg
56157	Deluxe Splash Frame Pool	1	21.8 (48.0)		58144 (330 gal.)	110-120V	•	58168 📜
56078	Deluxe Splash Frame Pool	1	21.4 (47.1)	Europe	58145 (330 gal.)	220-240V	•	58093 🕕 🃜
56079	Deluxe Splash Frame Pool	1	22.5 (49.5)	France	58149 (530 gal.)	220-240V	•	58094 🕕 🐧

4.00m x 2.11m x 81cm (157" x 83" x 32") Water capacity (90%): 5,700 L (1,506 gal.)



Item No.	Name	Pack	kg (Lb.)	Remark	Filter Pump	Voltage		Filter Cartrid
56158	Family Splash Frame Pool	1	33.7 (74.2)		58144 (330 gal.)	110-120V	•	58168 V 🛚
56082	Family Splash Frame Pool	1	33.3 (73.3)	Europe	58145 (330 gal.)	220-240V	•	58093 🕕 🛭
56083	Family Splash Frame Pool	1	34.4 (75.8)	France	58149 (530 gal.)	220-240V	•	58094 🕕 🚺





Steel Pro™ Frame Pools



TriTech™

TriTech™, a 3-ply reinforced material with a polyester mesh-core encased in two layers of laminated PVC, that offers superior strength and durability. This premium grade, above ground pool material, can withstand extreme conditions including exposure to ultraviolet rays and chlorine, plus it's stress-tested against the weight and strain of large volumes of water.



2.44m x 61cm (8' x 24")

Water capacity (90%): 1,724 L (456 gal.)

kg (Lb.)









12.0 (26.5)

3.05m x 76cm (10' x 30")

Water capacity (90%): 4,678 L (1,236 gal.)









em No.	Pack	kg (Lb.)	Remark	DVD	Ground Cloth	Cover	Ladder	Filter Pump	Ozonator	Voltage		Filter Cartridge
6026	1	18.9 (41.8)		\checkmark								
6058	1	21.0 (46.2)		\checkmark				58144 (330 gal.)		110-120V	•	58168 🛡 📒
6059	1	20.6 (45.3)	Europe	\checkmark				58145 (330 gal.)		220-240V	•	58093 🕕 📁
6048	1	21.6 (47.6)	France	\checkmark				58149 (530 gal.)		220-240V	•	58094 🕕 👣

3.66m x 76cm (12' x 30")

Pack

56030

56061

56062

Water capacity (90%): 6,473 L (1,710 gal.)

kg (Lb.)

23.8 (52.5)

25.8 (56.9)

25.4 (56.0)

26.4 (58.3)

France









Remark DVD Ground Cloth Cover Ladder Filter Pump Ozonator Voltage Filter Cartridge 58093 🕕 📜

$3.66 \text{m} \times 10^{-3}$	1.00m	(12'	x 39.5")	

Water capacity (90%): 9,150 L (2,417 gal.)











lter Cart
)12 🕕
94





Steel Pro™ Frame Pools



TriTech™

TriTech™, a 3-ply reinforced material with a polyester mesh-core encased in two layers of laminated PVC, that offers superior strength and durability. This premium grade, above ground pool material, can withstand extreme conditions including exposure to ultraviolet rays and chlorine, plus it's stress-tested against the weight and strain of large volumes of water.

Remark

Europe/France

Europe



3.66m x 1.22m (12' x 48")

Water capacity (90%): 10,250 L (2,708 gal.)

kg (Lb.)

48.8 (107.5)

47.7 (105.1)

50.7 (111.8)

56.4 (124.4)

60.7 (133.7)



58002

58002

58002

58002

58002



58037

58037

58037





Filter Pump Ozonator

8147 (530 gal.)

8148 (530 gal.)

8149 (530 gal.)

tage		Filter	Cart	ridge
120V	•	58012		0
240V	•	58094		A
240V	•	30094		V
240V		Sar	nd Filt	er
240\/		58004		6

NEW SIZE

56087

56088

56205

4.27m x 1.00m (14' x 39.5")

4.27m x 1.00m (14' x 39.5")
Water capacity (90%): 12,110 L (3,199 gal.)







58097FR

58097FR



	R	S	
	HF	7	
	ш	ш	
	ИL		L

em No.	Pack	kg (Lb.)	Remark	DVD	Ground Cloth	Cover	Ladder	Filter Pump	Ozonator	Voltage
6307	1	51.7 (113.9)		\checkmark	58003	58248	58041	58147 (530 gal.)		110-120V
6305	1	50.2 (110.6)	Europe	\checkmark	58003	58248	58044	58148 (530 gal.)		220-240V
6306	1	53.0 (116.9)	France	\checkmark	58003	58248	58044FR	58149 (530 gal.)		220-240V
6308	1	57.7 (127.1)	Europe/France	\checkmark	58003	58248	58044FR	58271 (530 gal.)		220-240V

	Filter	Cart	ridge
•	58012		0
•	58094		0
	Sar	nd Filt	er

4.57m x 91cm (15' x 36")

4.57m x 91cm (15' x 36")
Water capacity (90%): 12,627 L (3,336 gal.)











	6		
	Ш	Г	
	Щ	╄	۳

tem No.	Pack	kg (Lb.)	Remark	DVD	Ground Cloth	Cover	Ladder	Filter Pump	Ozonator	Voltage	
56017	1	37.9 (83.5)		✓							
56064	1	51.4 (113.4)		\checkmark	58003	58038	58042	58147 (530 gal.)		110-120V)
56066	1	50.1 (110.5)	Europe	\checkmark	58003	58038	58045	58148 (530 gal.)		220-240V)
56052	1	53.4 (117.7)	France	\checkmark	58003	58038	58044FR	58149 (530 gal.)		220-240V)
56282	1	58.2 (128.3)	Europe/France	\checkmark	58003	58038	58044FR	58271 (530 gal.)		220-240V	





Steel Pro™ Frame Pools



TriTech™

TriTech™, a 3-ply reinforced material with a polyester mesh-core encased in two layers of laminated PVC, that offers superior strength and durability. This premium grade, above ground pool material, can withstand extreme conditions including exposure to ultraviolet rays and chlorine, plus it's stress-tested against the weight and strain of large volumes of water.



Ground Cloth



Cover



Ladder



Filter Pump



4.57m x 1.22m (15' x 48")

Pack

Water capacity (90%): 16,015 L (4,231 gal.)

kg (Lb.)

63.2 (139.4) 62.2 (137.2) 65.4 (144.3)









							_		
Remark	DVD	Ground Cloth	Cover	Ladder	Filter Pump	Voltage		Filter	Cart
	\checkmark	58003	58134	58096	58116 (800 gal.)	110-120V	•	58012	
Europe	\checkmark	58003	58134	58097	58117 (800 gal.)	220-240V	•	58094	
France	\checkmark	58003	58134	58097FR	58118 (800 gal.)	220-240V	•	36094	

5.49m x 1.22m (18' x 48")

Item No. 56150 56113

Water capacity (90%): 23,062 L (6,092 gal.)









			_			•	
Pack	kg (Lb.)	Remark	DVD	Ground Cloth	Cover	Ladder	Filter Pump Voltage
1	82.2 (181.3)		\checkmark	58031	58039	58096	58121 (1500 gal.) 110-120V
1	81.4 (179.4)	Europe	\checkmark	58031	58039	58097	58122 (1500 gal.) 220-240V
1	84.4 (186.1)	France	\checkmark	58031	58039	58097FR	58123 (1300 gal.) 220-240V



Power Steel™ Frame Pools



TriTech™

TriTech™, a 3-ply reinforced material with a polyester mesh-core encased in two layers of laminated PVC, that offers superior strength and durability. This premium grade, above ground pool material, can withstand extreme conditions including exposure to ultraviolet rays and chlorine, plus it's stress-tested against the weight and strain of large volumes of water.



Ladder



Filter Pump



3.30m x 1.02m (130" x 40")

Water capacity (90%): 6,790 L (1,794 gal.)





m No.	Pack	kg (Lb.)	Remark	DVD	Ladder	Filter Pump	Voltage	
5247	1	42.8 (94.4)		✓		58144 (330 gal.)	110-120V	•
5245	1	42.4 (93.5)	Europe	\checkmark		58145 (330 gal.)	220-240V	•
5246	1	53.5 (118.0)	France	\checkmark	58044FR	58149 (530 gal.)	220-240V)

Filt	Filter Cartridge							
5816	8 🔻							
5809	3 🕕							
5809	4	0						



Power Steel™ Frame Pools



56265


56263

56266

56267

TriTech™

that offers superior strength and durability. This premium grade, above ground pool material, can withstand extreme conditions including exposure to ultraviolet rays and chlorine, plus it's stress-tested against the weight and strain of large volumes of water.





4.27m x 1.22m (14' x 48")

Pack

Water capacity (90%): 15,232 L (4,024 gal.)

kg (Lb.)

60.6 (133.7)

59.6 (131.5)

62.9 (138.6)

73.8 (162.6)



Remark DVD Ground Cloth



58248

58248

58248

58248



1		
adder	Filter Pump	Voltage
8096	58116 (800 gal.)	110-120V
8097	58117 (800 gal.)	220-240\
097FR	58118 (800 gal.)	220-240\
00755	E02E0 (1000 L)	220 240

	Filter	Cartr	idge
•	58012		0
•	58094		0

4.88m x 1.22m (16' x 48")

Pack

Water capacity (90%): 19,480 L (5,145 gal.)





58003

58003

58003





) -		
kg (Lb.)	Remark	DVD	Ground Cloth	Cover	Ladder	Filter Pump	Voltage
79.7 (175.8)		\checkmark	58251	58249	58096	58121 (1500 gal.)	110-120\
79.3 (174.9)	Europe	\checkmark	58251	58249	58097	58122 (1500 gal.)	220-240
82.4 (181.6)	France	\checkmark	58251	58249	58097FR	58123 (1300 gal.)	220-240

	Filter	Cartr	idge
•			
•	58012		0
•			
	_		

5.49m x 1.32m (18' x 52")

Water capacity (90%): 26,000 L (6,869 gal.)

90.8 (200.1)









n No.	Pack	kg (Lb.)	Remark	DVD	Ground Cloth	Cover	Ladder	Filter Pump	Voltage
234	1	97.8 (215.7)		\checkmark	58031	58039	58159	58121 (1500 gal.)	110-120V
232	1	96.3 (212.4)	Europe	\checkmark	58031	58039	58160	58122 (1500 gal.)	220-240V
233	1	99.4 (219.1)	France	\checkmark	58031	58039	58160FR	58123 (1300 gal.)	220-240V
280	1	110.0 (242.5)	France	\checkmark	58031	58039	58160FR	58256 (1500 gal.)	220-240V

Filter	Cartr	idge
58012		()



Power Steel™ Rectangular Frame Pools



TriTech[™]

TriTech™, a 3-ply reinforced material with a polyester mesh-core encased in two layers of laminated PVC, that offers superior strength and durability. This premium grade, above ground pool material, can withstand extreme conditions including exposure to ultraviolet rays and chlorine, plus it's stress-tested against the weight and strain of large volumes of water.



2.87m x 2.01m x 1.00m (113" x 79" x 39.5")

Water capacity (90%): 4,531 L (1,197 gal.)

kg (Lb.)

43.3 (95.5)

42.9 (94.6) 53.8 (118.5)









8145 (330 gal.)

		Filter	Cart	ridge
	•	58168	V	0
/	•	58093		
,		E0004		8=3

4.04m x 2.01m x 1.00m (159" x 79" x 39.5")

4.04m x 2.01m x 1.00m (159" x 79" x 39.5")

Water capacity (90%): 6,478 L (1,711 gal.)











n No.	Pack	kg (Lb.)	Remark	DVD	Ground Cloth	Cover	Ladder	Filter Pump	Ozonator	Voltage
253	1	55.5 (122.3)		\checkmark				58147 (530 gal.)		110-120V
251	1	54.9 (121.1)	Europe	\checkmark				58148 (530 gal.)		220-240V
252	1	65.3 (144.0)	France	\checkmark			58044FR	58149 (530 gal.)		220-240V
255	1	71.4 (157.4)	Europe/France	\checkmark			58044FR	58271 (530 gal.)		220-240V

	riiter	Cart	riage
•	58012		0
•	58094		()

4.12m x 2.01m x 1.22m (162" x 79" x 48")

4.12m x 2.01m x 1.22m (162" x 79" x 48")
Water capacity (90%): 8,124 L (2,146 gal.)











em No.	Pack	kg (Lb.)	Remark	DVD	Ground Cloth	Cover	Ladder	Filter Pump	Ozonator	Voltage
6243	1	75.0 (165.4)		✓			58096	58147 (530 gal.)		110-120V
6241	1	74.0 (163.2)	Europe	\checkmark			58097	58148 (530 gal.)		220-240V
6242	1	76.6 (168.8)	France	\checkmark			58097FR	58149 (530 gal.)		220-240V
6244	1	83.4 (183.9)	Europe/France	\checkmark			58097FR	58271 (530 gal.)		220-240V
6331	1	87.7 (193.2)	Europe	\checkmark			58097	58148 (530 gal.)	58202	220-240V





Power Steel™ Rectangular Frame Pools



TriTech[™]

TriTech™, a 3-ply reinforced material with a polyester mesh-core encased in two layers of laminated PVC, that offers superior strength and durability. This premium grade, above ground pool material, can withstand extreme conditions including exposure to ultraviolet rays and chlorine, plus it's stress-tested against the weight and strain of large volumes of water.



5.49m x 2.74m x 1.22m (18' x 9' x 48")

Water capacity (90%): 14,812 L (3,913 gal.)

kg (Lb.) 111.1 (244.9) 110.0 (242.6) 113.8 (251.0)

121.7 (268.2)

153.3 (337.9)

151.8 (334.7)

154.8 (341.3)







•		
adder	Filter Pump	Voltage
8096	58121 (1500 gal.)	110-120V
8097	58122 (1500 gal.)	220-240V
097FR	58123 (1300 gal.)	220-240V
097FR	58258 (1000 gal.)	220-240V

	<u> </u>	- 6			
58012		0			
C 1 F:14					

6.71m x 3.66m x 1.32m (22' x 12' x 52")

Water capacity (90%): 26,845 L (7,092 gal.)

CasePack kg (Lb.)

1Ea., 2 boxes 167.4 (369.1)

1Ea., 2 boxes

1Ea., 2 boxes

1Ea., 2 boxes

56231 56229



Remark DVD Ground Cloth



58238

58238

58238

58238



58260

58260

58260

58260

58140



58160FR

H		
dder	Filter Pump	Voltag
3159	58121 (1500 gal.)	110-120
	# 0 10 0 11 0 0 1 1 1 1 1 1 1 1 1 1 1 1	

Filter Cartridge					
58012		()			

Sand Filter

7.32m x 3.66m x 1.32m (24' x 12' x 52")

Water capacity (90%): 30,045 L (7,937 gal.)









								· · · · · · · · · · · · · · · · · · ·	
lo.	CasePack	kg (Lb.)	Remark	DVD	Ground Cloth	Cover	Ladder	Filter Pump	Voltage
	1Ea., 2 boxes	173.2 (381.7)		✓	58238	58227	58159	58222 (2500 gal.)	110-120V
)	1Ea., 2 boxes	171.8 (378.7)	Europe	✓	58238	58227	58160	58221 (2500 gal.)	220-240V
)	1Ea., 2 boxes	174.3 (384.2)	France	\checkmark	58238	58227	58160FR	58229 (2100 gal.)	220-240V
)	1Fa. 2 boxes	178.5 (393.5)	France	✓	58238	58227	58160FR	58256 (1500 gal.)	220-240V

58095 W 0		Filter	Cartr	idge
	•	58095	(V)	0



Steel Pro™ Oval Frame Pools



TriTech[™]

TriTech™, a 3-ply reinforced material with a polyester mesh-core encased in two layers of laminated PVC, that offers superior strength and durability. This premium grade, above ground pool material, can withstand extreme conditions including exposure to ultraviolet rays and chlorine, plus it's stress-tested against the weight and strain of large volumes of water.

Remark DVD

4.88m x 3.05m x 1.07m (16' x 10' x 42") Water capacity (80%): 10,759 L (2,843 gal.)

kg (Lb.)

58.8 (129.6) 57.2 (126.2) 60.6 (133.7)

Pack









lder	Filter Pump	Voltage
041	58116 (800 gal.)	110-120V
044	58117 (800 gal.)	220-240V
44FR	58118 (800 gal.)	220-240V

Filter	Cartr	idge
58012		0
58094		0

5.49m x 3.66m x 1.22m (18' x 12' x 48") Water capacity (80%): 15,033 L (3,971 gal.) (a)







58262





Item No.	Pack	kg (Lb.)	Remark	DVD	Ground Cloth	Cover	Ladder	Filter Pump	Voltage
56160	1	69.8 (153.8)		\checkmark	58135	58154	58096	58116 (800 gal.)	110-120V
56153	1	68.4 (150.9)	Europe	\checkmark	58135	58154	58097	58117 (800 gal.)	220-240V
56152	1	71.7 (158.0)	France	\checkmark	58135	58154	58097FR	58118 (800 gal.)	220-240V

	Filter	Cartr	idge
•	58012		0
•	58094		A
•	36094		

6.10m x 3.66m x 1.22m (20' x 12' x 48")

Water capacity (80%): 17,052 L (4,505 gal.)









Item No.	Pack	kg (Lb.)	Remark	DVD	Ground Cloth	Cover	Ladder	Filter Pump	Voltage
56161	1	75.2 (165.7)		\checkmark	58135	58136	58096	58116 (800 gal.)	110-120V
56119	1	74.2 (163.6)	Europe	\checkmark	58135	58136	58097	58117 (800 gal.)	220-240V
56121	1	77.4 (170.6)	France	√	58135	58136	58097FR	58118 (800 gal.)	220-240V

Filter	Cartr	idge
58012		0
58094		0



Steel Wall Pool with **PVC Liner**

RE-ENGINEERED

UV Coated Liner Protects Against Sun Damage

Extra-Wide 16cm Steel Borders Surround the Pool

ntegrated Surface Skimmer Keeps Pool Water Clean

PVC Liner



3.05m x 1.22m (10' x 48")

Water capacity (90%): 7,630 L (2,018 gal.)







€	
9	
6	
Fi.	

Item No.	Pack	kg (Lb.)	Remark	DVD	Ground Cloth	Ladder	Filter Pump	Voltage
56300	1	107.1 (236.0)		\checkmark	58001	58096	58147 (530 gal.)	110-120V
56290	1	105.6 (232.9)	Europe	\checkmark	58001	58097	58148 (530 gal.)	220-240V
56291	1	108.5 (239.3)	France	\checkmark	58001	58097FR	58149 (530 gal.)	220-240V
56299	1	113.3 (249.7)		\checkmark	58001	58096	58272 (530 gal.)	110-120V
56284	1	111.6 (246.1)	Europe	\checkmark	58001	58097	58271 (530 gal.)	220-240V
56287	1	113.9 (251.1)	France	\checkmark	58001	58097FR	58271 (530 gal.)	220-240V

58012	 V
58094	6

Sand Filter

3.66m x 1.22m (12' x 48")

Water capacity (90%): 10,990 L (2,906 gal.)







<u> </u>	
Filter Pump	Voltage
8147 (530 gal.)	110-120\
3148 (530 gal.)	220-240
R140 (530 call)	220 240

58012	0
58094	0

Filter Cartridge

Sand Filter

tem No.	Pack	kg (Lb.)	Remark	DVD	Ground Cloth	Ladder	Filter Pump	Voltage
56302	1	121.6 (268.1)		\checkmark	58002	58096	58147 (530 gal.)	110-120V
56292	1	118.8 (262.0)	Europe	\checkmark	58002	58097	58148 (530 gal.)	220-240V
56293	1	121.7 (268.4)	France	\checkmark	58002	58097FR	58149 (530 gal.)	220-240V
56301	1	127.7 (281.5)		\checkmark	58002	58096	58272 (530 gal.)	110-120V
56285	1	124.8 (275.2)	Europe	\checkmark	58002	58097	58271 (530 gal.)	220-240V
56288	1	127.1 (280.2)	France	✓	58002	58097FR	58271 (530 gal.)	220-240V





Steel Wall Pools

Steel Wall Pool with **PVC Liner**

RE-ENGINEERED

UV Coated Liner Protects Against Sun Damage

Extra-Wide 16cm Steel Borders Surround the Pool

Premium 0.4mm PVC Liner

ntegrated Surface Skimmer Keeps Pool Water Clean

Reinforced 0.4mm Steel Sidewalls



Ground Cloth



Ladder



Filter Pump



Sand Filter



Skimmer



4.88m x 3.66m x 1.22m (16' x 12' x 48") Water capacity (90%): 16,296 L (4,305 gal.)







Filter Pump	Voltage
58116 (800 gal.)	110-120V
58117 (800 gal.)	220-240V
58118 (800 gal.)	220-240V
58269 (1000 gal.)	110-120V

8012	0
8094	0

Sand Filter

tem No.	Pack	kg (Lb.)	Remark	DVD	Ground Cloth	Ladder	Filter Pump	Voltage
56304	1	172.7 (380.8)		\checkmark	58263	58096	58116 (800 gal.)	110-120V
56294	1	170.0 (374.7)	Europe	\checkmark	58263	58097	58117 (800 gal.)	220-240V
56295	1	173.3 (382.0)	France	\checkmark	58263	58097FR	58118 (800 gal.)	220-240V
56303	1	181.0 (399.1)		\checkmark	58263	58096	58269 (1000 gal.)	110-120V
56286	1	170.3 (375.5)	Europe	\checkmark	58263	58097	58257 (1000 gal.)	220-240V
56289	1	181.6 (400.3)	France	\checkmark	58263	58097FR	58258 (1000 gal.)	220-240V

Watch the Youtube Video



Ozone Generator

The Hydro-Force™ Clear Water Pool System generates ozone and is virtually maintenance-free requiring only dry air to operate

Nano-Bubble Generator

What makes the Hydro-Force™ Clear Water Pool System so advanced is the high concentration of ozone released into the water by our patented Nano-Bubbles generator. Nano-Bubbles are so small (1/10th the diameter of a human hair) they remain submerged for up to an hour, compared to a normal bubble which rises in seconds. This dramatically increases the amount of ozone which is released into the pool water. By using the Nano-Bubbles generator the purifying power of ozone is dynamically increased.



Better For The Environment


Ozone is a naturally occurring powerful oxidizer Ozone changes back to oxygen after its cleaning process is complete

No by-products left in the water to harm the environment when the pool is drained

Pool Accessories

Ozone Kills Bacteria, Viruses and Mold in Pools





Replacement Silica



58206

14cm x 22.5cm x 5cm (5.5" x 8.9" x 2.0") Replacement Silica for Hydro-Force™ Flowclear Ozonator One package for once replacement Orange and translucence glassiness Changing the color from orange to dark green after use Non-toxic and harmless 20 Ea., 12.3 kg (27.0 Lb.)









Just Add Salt And Say Goodbye To Pool Chemicals

Working with common table salt, the Hydro-Force™ Flowclear Chlorinator makes pool maintenance easy by eliminating the need for pool chemicals and providing swimmers with clean, clear pool water that doesn't irritate their skin or burn their eyes. By adding common table salt or sodium chloride to swimming pool water, the Hydro-Force™ Flowclear Chlorinator is able to separate the salt into the two basic elements of sodium and chloride. As part of the daily filtration cycle, pool water passes through the chlorinator's electrolytic cell producing chlorine that instantly dissolves into the water, which destroys bacteria and algae on contact and oxidizes other organic materials.

- The affordable, compact system to clean your Above Ground Pool. It is healthier for swimmers, saves money and is better for the environment.
- Use Nature's powerful sanitizer, Ozone, to clean your Above Ground Pool.

Saves You Money

• Will reduce heavy chemical usage (depends on outdoor temperature and amount of bodily impurities that are introduced to the pool).

Better For The Environment

- Ozone is a naturally-occurring powerful oxidizer.
- No by-products left in the water to harm the environment when the pool is drained.

Flowclear™ Ozonator

1101	101041 020					
Item No.	58203	58202				
Rating	110-120V~60Hz, 0.8A	220-240V~50Hz, 50W				
Ozone output	300 mg/h					
Operating condition	+5°C ~ +35°C					
Flow rate	from 2,006 L/h (530 gal./h)	to 5,678 L/h (1,500 gal./h)				
Certification	C-TUV					
Package	Full col	or box				
Pack	1 Ea.,	1 Ea.,				
Gross weight	8.9 kg (19.6 Lb.)	11.0 kg (24.3 Lb.)				
Pomark		Furono				

Compatible with these Flowclear™ Filter Pumps

2,006 L (530 gal.)



3,028 L (800 gal.)



5,678 L (1,500 gal.)



Flowclear™ Chlorinator

110 110	ur omform	uloi				
Item No.	58285	58284				
Rating	110-120V~60Hz, 1.1A 220-240V~50Hz, 8					
Compatible with Bestway pools	45,420 L (12,000 gallons) and below water volume					
Flow rate	from 1,249 L/h (330 gal./h) to 15,142 L/h (4,000 gal./h)					
Chlorine per hour	12 g 12 g					
Certification	ETL	CE / EMC				
Package	Full co	lor box				
Pack	4 Ea.,	4 Ea.,				
Gross weight	12.7 kg (28.0 Lb.)	11.1 kg (24.5 Lb.)				
Remark		Furone				

Environmentally Friendly

• Eliminates the need for harmful pool

Easy to Install, Use and Maintain

- Turn ordinary salt into chlorine to clean your
- Titanium-coated electrolytic cell is self-cleaning, which provides optimum

Healthier Than Regular Chlorine

- Provides clean and clear swimming pool
- Better for skin, hair, eyes.



Pool Accessories

Gold Standard of Water Treatment

- Durable, corrosion-proof filter
- ⁴ 6-position valve for easy control
- Top flange clamp design allows 360 degree rotation
- * Easy-to-read pressure gauge
- Strainer for separating leaves and other rough debris

 Provides clean and clear swimming
- pool water



















Flowclear™ Sand Filter with Ozonator

Pool Accessories



Ozone Kills Bacteria, Viruses and Mold in Pools

The Bestway Hydro-Force Sand Filter now ships with an integrated Ozonator. Sand filtration has long been the gold standard of swimming pool water filtration, while ozonation is renowned for water purification and the environmental benefits from the reduced use of pool chemicals. By combining sand filtration with ozonation, swimming pool water is sure to be clean, clear and totally refreshing.


- Durable, corrosion-proof filter tank
- 4 6-position valve for easy control
- Top flange clamp design allows 360 degree rotation for easy installation
 Easy-to-read pressure gauge
 Strainer for separating leaves and other rough debris
 Provides clean and clear swimming pool water

- Ozone output: 150 mg/h
- Easy-access assembly makes service simple

- Package also includes adaptors for pool valves with an outer diameter of 32mm (1.25")
- Compatible with most above ground pools
 Includes a bottle of pool & spa test strips
 Sand not included

- Required sand size: #20 silica sand, 0.45-0.85mm, approximately 25kg
 Free DVD included
- For use with 1,100-33,300 L (300-8,800 gallons) pools

Item No.	Name	Pump flow rate L(Gal.) /hr	System Flow Rate L(Gal.) / hr	Rating	Certification	Package	Pack	Kg (Lb.)	Remark
58287	Flowclear™ Sand Filter with Ozonator	4,542 (1,200)	4,164 (1,100)	110-120V-60Hz		Full color box	1	15.5 (34.2)	
58286	Flowclear™ Sand Filter with Ozonator	4,542 (1,200)	4,164 (1,100)	220-240V-50Hz	CE / EMC	Full color box	1	15.2 (33.5)	Europe



7,570 L

(2,000 Gal.)

Flowclear™ Sand Filter

Pool Accessories



- Durable, corrosion-proof filter tank
- 4 6-position valve for easy control
- ▲ Top flange clamp design allows 360 degree rotation for easy installation
- Easy-to-read pressure gauge
 Strainer for separating leaves and other rough debris
 Easy-access assembly makes service simple

- 4 Required sand size: #20 silica sand, 0.45-0.85mm, approximately 8.5kg
- Free DVD included
- For use with 1,100-16,000 L (300-4,200 gallons) pools



- Durable, corrosion-proof filter tank
- ▲ 6-position valve for easy control

- Top flange clamp design allows 360 degree rotation for easy installation
 Easy-to-read pressure gauge
 Strainer for separating leaves and other rough debris
 Easy-access assembly makes service simple
 Package also includes adaptors for pool valves with an outer diameter of 38mm (1.5")
- Compatible with most above ground pools
 Sand not included

- 4 Required sand size: #20 silica sand, 0.45-0.85mm, approximately 18kg
- Free DVD included
- 4 For use with 1,100-30,200 L (300-8,000 gallons) pools

Item No.	Name	Pump flow rate L(Gal.) /hr	System Flow Rate L(Gal.) / hr	Rating	Certification	Package	Pack	Kg (Lb.)	Remark
58272	Flowclear™ Sand Filter	2,006 (530)	2,006 (530)	110-120V-60Hz	ETL	Full color box	1	7.6 (16.8)	
58271	Flowclear™ Sand Filter	2,006 (530)	2,006 (530)	220-240V-50Hz	CE / EMC	Full color box	1	7.4 (16.3)	Europe/France
Item No.	Name	Pump flow rate	System Flow Rate	Rating	Certification	Package	Pack	Kg (Lb.)	Remark
	ranic	L(Gal.) /hr	L(Gal.) / hr	rating	Certification	1 dekage	, don	118 (25.)	Remark
58269	Flowclear™ Sand Filter	L(Gal.) /hr 3,785 (1,000)	L(Gal.) / hr 3,785 (1,000)	110-120V-60Hz	ETL	Full color box	1	12.3 (27.1)	Remark
58269 58257				•		<u></u>	1		Europe



Durable, corrosion-proof filter tank6-position valve for easy control

Flowclear™ Sand Filter

Flowclear™ Sand Filter

Top flange clamp design allows 360 degree rotation for easy installation
 Easy-to-read pressure gauge

7,571 (2,000)

7,571 (2,000)

Flowclear™ Sand Filter

5,678 L (1,500 Gal.)



- 4 6-position valve for easy control

ETL

CE / EMC

Top flange clamp design allows 360 degree rotation for easy installation
 Easy-to-read pressure gauge
 Strainer for separating leaves and other rough debris
 Easy-access assembly makes service simple
 Package also includes adaptors for pool valves with an outer diameter of 3

Full color box

Full color box

15.2 (33.5)

14.9 (32.9)

58256	Flowclear™ Sand Filter	5,678 (1,500)	0,277 (1,100)					14.0 (32.0)	Franc
FOOF		5 6 / X 11 5 (1 (1)	5,299 (1,400)	220-240V-50Hz	CE / EMC	Full color box			
58199	Flowclear™ Sand Filter	5,678 (1,500)	5,299 (1,400)	220-240V-50Hz	CE / EMC	Full color box	1	14.3 (31.5) 14.8 (32.6)	Europ
58270	Flowclear™ Sand Filter	5,678 (1,500)	5,299 (1,400)	110-120V-60Hz	ETL	Full color box	1	14.6 (32.2)	
Item No.	Name	Pump flow rate L(Gal.) /hr	System Flow Rate L(Gal.) / hr	Rating	Certification	Package	Pack	Kg (Lb.)	Rema
Packa Comp Sand Requi	per for separating leaves and access assembly makes servinge also includes adaptors for patible with most above grounded included included included included included se with 1,100-42,300 L (30 minus).	ce simple pool valves with an outer nd pools d, 0.45-0.85mm, appro		Strainer Easy-ac Package Compat Sand no Require Free DV	for separating leaves a cess assembly makes so also includes adaptors ible with most above get included d sand size: #20 silica //D included with 1,100-54,500 L (ervice simple for pool valves with a round pools sand, 0.45-0.85mm	an outer dia		(1.25")

110-120V-60Hz

220-240V-50Hz

6,814 (1,800)

6.814 (1.800)

Pool Heater







Pool Accessories



Pool⁺ Drain Pump



5m long drain hose!





- A quick and easy way to drain your pool water automatically
- Durable construction
- Corrosion-proof material
- Extra-long drain hose 5m (16.4') long, 3.2cm (1.25") diameter
 Includes two adaptors to connect garden hose



Item No.	Pump flow rate L(Gal.) /hr	Rating	Certification	Package	Pack	Kg (Lb.)	Remark
58261	3,028 (800)	110-120V~60Hz, 0.8A		Full color box	4	13.1 (28.9)	
58230	3,028 (800)	220-240V~50Hz, 80W	CE	Full color box	4	13.1 (28.9)	Europe

TÜVEhenland General TÜVEhenland TÜVEHEN TÜVEHENLAND TÜVEHEN TÜR TÜVEHEN TÜVEHE

- Increases the swimming pool water temperature by approximately 0.5-1.5°C/h (1-3°F/h) depending on total water volume
 Compatible with:

- -Swimming pools: 4.57m (15') and smaller -Swimming pool water volume: 1,520 ~ 17,000 L (400 ~ 4,500 gal.) -Filter pump/Sand filter flow rate: 3,785 L/h (1,000 gal/h) and below 3,785 L/h (1,000 gal/h)

Item No.	Maximum heater output	Rating	Certification	Package	Pack	Kg (Lb.)	Remark
58259	40°C (104°F)	220-240V~50Hz, 2,800W at 20°C	CE / GS /EMC	Full color box	4	20.6 (45.3)	Europe

Filter Cartridge Cleaner

58219

- Convenient and easy to use
- Helps keep pool water extra clean
 Rinses dirt and debris from pool filter cartridges
 Suitable for all brands of woven filter cartridge

- Clam shell
 24 Ea., 5.3 kg (11.6 Lb.)





Flowclear™ Filter Pumps

Pool Accessories



Item No.	Pump flow rate L (Gal.) / hr	System flow rate L (Gal.) / hr	Pool Compatibility	Certification	Pack	kg (Lb.)	Country	Rating		Filter Cartridge
58144	1,249 (330)	1,060 (280)	For use with 1,100-8,300 L	UL	4	10.1 (22.3)		110-120V~ 60Hz	•	58168 V
58145	1,249 (330)	1,060 (280)	(300-2,200 gallons) pools	CE	4	8.3 (18.3)	Europe ²	220-240V~ 50Hz	•	58093



Item No.	Pump flow rate L (Gal.) / hr	System flow rate L (Gal.) / hr	Pool Compatibility	Certification	Pack	kg (Lb.)	Country	Rating		Filter Cartridge
58147	2,006 (530)	1,817 (480)	For use with 1,100-14,300 L	UL	4	13.6 (30.1)		110-120V~ 60Hz	•	58012
58148	2,006 (530)	1,817 (480)	(300-3,800 gallons) pools	CE	4	10.7 (23.5)	Europe	220-240V~ 50Hz		58094
58149	2,006 (530)	2,006 (530)	For use with 1,100-15,800 L (300-4,200 gallons) pools	CE	4	14.2 (31.2)	France	220-240V~ 50Hz		

Flowclear™ Cartridges

Item No.	58093	58094	58012	58095	58168
Name	Filter Cartridge (1)	Filter Cartridge (II) Filter Cartridge (III)		Filter Cartridge (IV)	Filter Cartridge (V)
Product				IV IV	V
Size	Ø8.0cm x H9.0cm (Ø3.1" X H3.5")	Ø10.6cm x H13.6cm (Ø4.2" X H5.4")	Ø10.6cm x H20.3cm (Ø4.2" X H8.0")	∅14.2cm x H25.4cm (∅5.6" X H10.0")	Ø8.3cm x H8.0cm (Ø3.3" X H3.1"))
Corresponding Pumps	330 gal. (220-240V) filter pumps	530 gal. (220-240V) 800 gal. (220-240V) filter pumps	530/800 gal. (110-120V) 1,300/1,500 gal. (110-120V/220-240V) filter pumps	2,100/2,500 gal. (110-120V/220-240V) filter pumps	330 gal. (110-120V) filter pumps
Package	Shrink-wrapped with insert card	Shrink-wrapped with insert card	Shrink-wrapped with insert card	Shrink-wrapped with insert card	Shrink-wrapped with insert card
Pack	6 Sets (Twin pack)	6 Sets (Twin pack)	6 Ea.	6 Ea.	6 Sets (Twin pack)
kg (Lb.)	1.0 (2.1)	1.7 (3.8)	1.2 (2.6)	2.7 (5.9)	0.8 (1.7)

Flowclear™ Filter Pumps



Item No.	Pump flow rate L (Gal.) / hr	System flow rate L (Gal.) / hr	Pool Compatibility	Certification	n Pack	kg (Lb.)	Country	/ Rating	
58116	3,028 (800)	2,460 (650)		UL	4	13.5 (29.7)		110-120V~ 60Hz	•
58117	3,028 (800)	2,460 (650)	For use with 1,100-19,300 L (300-5,100 gallons) pools	CE	4	10.8 (23.8)	Europe	220-240V~ 50Hz	
58118	3,028 (800)	2,650 (700)		CE	4	15.0 (33.2)	France	220-240V~ 50Hz	

Filter Cartridge 58012

Filter Cartridge

58094

Filter Cartridge



	Item No.	Pump flow rate L (Gal.) / hr	System flow rate L (Gal.) / hr	Pool Compatibility	Certification	Pack	kg (Lb.)	Country	Rating	
· Val	58121	5,678 (1,500)	4,542 (1,200)	For use with 1,100-36,300 L	UL	1	5.3 (11.8)		110-120V~ 60Hz	
	58122	5,678 (1,500)	4,542 (1,200)	(300-9,600 gallons) pools	CE	1	5.0 (11.1)	Europe	220-240V~ 50Hz	•
	58123	4,921 (1,300)	4,164 (1,100)	For use with 1,100-33,300 L (300-8,800 gallons) pools	CE	1	5.8 (12.8)	France	220-240V~ 50Hz	





	Item No.	Pump flow rate L (Gal.) / hr	System flow rate L (Gal.) / hr	Pool Compatibility	Certification	Pack	kg (Lb.)	Country	Rating			
	58222	9,463 (2,500)	9,463 (2,500)	9,463 (2,500) 7,192 (1,9	7,192 (1,900)	For use with 1,100-57,500 L	ETL	1	11.4 (25.1)		110-120V~ 60Hz	
	58221	9,463 (2,500)	7,192 (1,900)	(300-15,200 gallons) pools	CE / EMC	1	11.3 (24.9)	Europe	220-240V~ 50Hz	•		
100	58229	7,949 (2,100)	6,624 (1,750)	For use with 1,100-52,900 L (300-14,000 gallons) pools	CE / EMC	1	12.1 (26.7)	France	220-240V~ 50Hz			

Hose Adapters

- Made from durable, corrosion-proof materials
- ▲ This adaptor connects hoses (Diameter 38mm) to pool valves (Diameter 32mm)
- ▲ Easy to install
- Instructional manual included
- Two pieces set on a blister card
- ⁴ 12 Sets, 2.0 kg (4.5 Lb.)

	Corresponding		
	Filter Pump	Sand Filter	4
'	1300gal	1500gal	1
	1500gal	2000gal	- 8
	2100gal		
	2500gal		

Hoses

58245

- ₄ 2m (6.6') long, 32mm (1-1/4") diameter
- ▲ Suitable for filter pumps, sand filters, heaters and chlorinators that use 32mm (1-1/4") hoses 4 6 Ea., 2.0 kg (4.3 Lb.)

58246 4 2m (6.6') long, 38mm (1-1/2") diameter

- Suitable for filter pumps and sand filters that use 38mm (1-1/2") hoses
- 4 6 Ea., 4.0 kg (8.9 Lb.)



Solar Pool Cover

Solar Pool Covers Fast Set™ Pools





Item No.	Size	Corresponding Pools	Pack	kg (Lb.)
58060	Ø2.10m (Ø83")	2.44m (8')	4	2.6 (5.8)
58061	Ø2.50m (Ø98")	3.05m (10')	4	3.3 (7.3)
58062	Ø3.00m (Ø118")	3.66m (12')	2	2.4 (5.3)
58065	Ø3.81m (Ø150")	4.57m (15')	1	2.0 (4.5)
58066	Ø4.55m (Ø179")	5.49m (18')	1	2.6 (5.7)
Remark		s on water surface to provid I pool debris • Carrying bag		

Solar Pool Covers

Steel Pro™ Frame Pools Power Steel™ Frame Pools





Item No	o. Size	Corresponding Pools	Pack	kg (Lb.)
58241	Ø2.90m (Ø114")	3.05m (10')	2	2.3 (5.0)
58242	Ø3.50m (Ø138")	3.66m (12'), also fits 4.27m (14') Fast Set™ Pools	2	3.3 (7.2)
58252	Ø4.10m (Ø161")	4.27m (14'), also fits 4.88m (16') Fast Set™ Pools	2	4.1 (9.0)
58172	Ø4.40m (Ø173")	4.57m (15')	1	2.5 (5.5)
58253	Ø4.70m (Ø185")	4.88m (16')	2	5.0 (11.1)
58173	Ø5.21m (Ø205")	5.49m (18')	1	3.3 (7.4)
Remark		over floats on water surface to provide heat ins		

Pool Accessories

Solar Pool Covers Steel Pro™ Oval Frame Pools



Item No.	Size	Corresponding Pools	Pack	kg (Lb.)	
58255	4.10m x 2.60m (161" x 102")	4.88m x 3.05m x 1.07m (16' x 10' x 42")	2	3.2 (7.1)	
58155	4.75m x 3.20m (187" x 126")	5.49m x 3.66m x 1.22m (18' x 12' x 48")	1	2.2 (4.9)	
58152	5.25m x 3.30m (207" x 130")	6.10m x 3.66m x 1.22m (20' x 12' x 48")	1	2.5 (5.5)	
58153	6.45m x 3.30m (254" x 130")	7.32m x 3.66m x 1.22m (24' x 12' x 48")	1	3.2 (6.9)	
Remark	Cover floats on water surface to provide heat insulation Minimized pool debris				

Solar Pool Covers

Power Steel™ Rectangular Frame Pools



Item No.	. Size	Corresponding Pools	Pack	kg (Lb.)
58243	2.90m x 1.90m (114" x 75")	3.00m x 2.01m x 66cm (118" x 79" x 26")	2	1.9 (4.2)
58244	3.90m x 2.00m (154" x 79")	4.00m x 2.11m x 81cm (157" x 83" x 32")	2	2.9 (6.3)
58240	3.75m x 1.75m (148" x 69")	4.04m x 2.01m x 1.00m (159" x 79" x 39.5") 4.12m x 2.01m x 1.22m (162" x 79" x 48")	2	2.2 (4.8)
58151	5.10m x 2.35m (201" x 93")	5.49m x 2.74m x 1.22m (18' x 9' x 48")	1	2.2 (4.8)
58254	6.30m x 3.35m (248" x 132")	6.71m x 3.66m x 1.32m (22' x 12' x 52")	1	3.3 (7.3)
58228	6.87m x 3.36m (270" x 132")	7.32m x 3.66m x 1.32m (24' x 12' x 52")	1	3.5 (7.8)
Remark		er floats on water surface to provide heat in nimized pool debris • Carrying bag with ins		



Item No.	Size	Corresponding Pools	Pack	kg (Lb.)
58032	Ø2.67m (Ø105")	2.44m (8')	6	3.7 (8.2)
58033	Ø3.35m (Ø11')	3.05m (10')	6	5.5 (12.2)
58034	Ø3.80m (Ø150")	3.66m (12')	6	7.1 (15.5)
58035	Ø4.95m (Ø195")	4.57m (15')	4	8.0 (17.6)
58073	Ø5.85m (Ø230")	5.49m (18')	4	10.7 (23.7)
Remark		aterial • Includes ropes to se prevent water from accumula		lor box

Pool Covers Steel Pro™ Frame Pools



Item No	. Size	Corresponding Pools	Pack	kg (Lb.)
58301	Ø2.44m (Ø8')	2.44m (8')	8	4.8 (10.6)
58036	Ø3.05m (Ø10')	3.05m (10')	6	5.8 (12.7)
58037	Ø3.66m (Ø12')	3.66m (12')	6	7.8 (17.2)
58248	Ø4.30m (Ø169")	4.27m (14')	4	7.1 (15.6)
58038	Ø4.57m (Ø15')	4.57m x 91cm (15' x 36")	4	7.6 (16.7)
58134	Ø4.57m (Ø15')	4.57m x 1.22m (15' x 48")	4	7.7 (16.9)
58249	Ø4.90m (Ø193")	4.88m (16')	4	8.2 (18.1)
58039	Ø5.49m (Ø18')	5.49m (18')	4	11.0 (24.3)
Remark	. Design	• PE material • Includes ropes to secure cover		hov



III DOIIOII				
Item No.	Size	Corresponding Pools	Pack	kg (Lb.)
58291	Ø3.55m (Ø140")	3.05m x 1.22m (10' x 48")	6	8.7 (19.1)
58292	Ø4.30m (Ø170")	3.66m x 1.22m (12' x 48")	6	12.0 (26.4)
58293	5.30m x 3.85m (209" x 152")	4.88m x 3.66m x 1.22m (16' x 12' x 48")	4	9.6 (21.2)
Remark		 Includes ropes to secure control vater from accumulating 		lor box

Pool Covers



Item No.	Size	Corresponding Pools	Pack	kg (Lb.)
58103	2.24m x 1.54m (88" x 61")	2.21m x 1.50m x 43cm (87" x 59" x 17")	8	4.4 (9.7)
58104	2.44m x 1.54m (96" x 61")	2.39m x 1.50m x 58cm (94" x 59" x 23")	8	4.8 (10.5)
58105	2.64m x 1.74m (104" x 69")	2.59m x 1.70m x 61cm (102" x 67" x 24")	8	5.4 (12.0)
58106	3.04m x 2.05m (120" x 81")	3.00m x 2.01m x 66cm (118" x 79" x 26")	6	4.8 (10.6)
58107	4.10m x 2.26m (161" x 89")	4.00m x 2.11m x 81cm (157" x 83" x 32")	6	7.0 (15.4)
58231	2.70m x 1.85m (106" x 73")	2.87m x 2.01m x 1.00m (113" x 79" x 39.5")	6	4.3 (9.4)
58232	3.96m x 1.85m (156" x 73")	4.04m x 2.01m x 1.00m (159" x 79" x 39.5") 4.12m x 2.01m x 1.22m (162" x 79" x 48")	6	6.0 (13.3)
Remark	• PE mat	erial • Includes ropes to secure cover • F	ull colo	r box

Pool Accessories

Splash Frame Pools

Ground Cloths

Item No.	Size	Corresponding Pools	Pack	kg (Lb.)
58100	2.95m x 2.06m (116" x 81")	2.21m x 1.50m x 43cm (87" x 59" x 17") 2.39m x 1.50m x 58cm (94" x 59" x 23") 2.59m x 1.70m x 61cm (102" x 67" x 24")	8	6.8 (14.9)
58101	3.38m x 2.39m (133" x 94")	3.00m x 2.01m x 66cm (118" x 79" x 26")	8	7.3 (16.1)
58102	4.45m x 2.54m (175" x 100")	4.00m x 2.11m x 81cm (157" x 83" x 32")	6	8.4 (18.4)
58264	5.00m x 3.00m (197" x 118")	4.04m x 2.01m x 1.00m (159" x 79" x 39.5") 4.12m x 2.01m x 1.22m (162" x 79" x 48")	6	10.0 (22.0)
Remark	• Provide	All-new durable material extra protection for the bottom of the pool. • F	أبال حماما	- hox


Pool Floor Protector



- Durable PolyethyleneProvides added protection for pool floors
- ▲ Fits all sizes of Pools
- Package contains 8 pieces
 Shrink wrapped with insert card

58220

4 50 x 50cm (20" x 20")







8 Sets, 21.7 kg (47.8 Lb.)



Pool Ladders 76cm (30") 58043 / 58046



RE-ENGINEERED

Item No.	Size	Package	Pack	kg (Lb.)
58043	76cm (30")	Shelf box w/ picture	1	6.9 (15.2)
Remark	D:	J C P IN		
Remark	• Designed to	r the Canadian and Ne	therland	s markets
	<u> </u>	Package	Pack	kg (Lb.)
Item No. 58046	Size			

Pool Ladders

1.22m (48")



Item No.	Size	Package	Pack	kg (Lb.)
58096	1.22m (48")	Shelf box w/ picture	1	10.8 (23.9)
Remark	 Designed for 	r the Canadian and Ne	therlan	ds markets
ltem No.	Size	Package	Pack	kg (Lb.)
58097	1.22m (48")	Shelf box w/ picture	1	10.2 (22.5)
Remark	• Des	igned for the Europea	n marke	ets
ltem No.	Size	Package	Pack	kg (Lb.)
58097FR	1.22m (48")	Shelf box w/ picture	1	12.7 (27.9)
Remark	• De	signed for the French	market	·e

RE-ENGINEERED Pool Ladders

91cm (36")

58042 / 58045



Item No.	Size	Package	Pack	kg (Lb.)
58042	91cm (36")	Shelf box w/ picture	1	7.8 (17.2)
Remark	 Designed fo 	r the Canadian and Ne	therland	s markets
Item No.	Size	Package	Pack	kg (Lb.)
Item No. 58045		Package Shelf box w/ picture		kg (Lb.) 7.0 (15.5)

Pool Ladders 1.32m (52")



Item No.	Size	Package	Pack	kg (Lb.)
58159	1.32m (52")	Shelf box w/ picture	1	12.7 (28.0)
Remark	 Designed for 	r the Canadian and Ne		ds markets
Item No.	Size	Package	Pack	kg (Lb.)
Item No. 58160		Package Shelf box w/ picture		
	1.32m (52")		1	11.4 (25.0)

58160FR 1.32m (52") Shelf box w/ picture 1 13.8 (30.4)

RE-ENGINEERED Pool Ladders 1.07m (42")

58041 / 58044

58044FR



Package Pack kg (Lb.)

Remark - Designed for the Canadian and Netherlands markets					
Item No.	Size	Package	Pack	kg (Lb.)	
58044	1.07m (36")	Shelf box w/ picture	1	7.4 (16.3)	
Remark	• Des	igned for the Europear	n marke	ts	
Item No.	Size	Package	Pack	kg (Lb.)	
58044FR	1.07m (42")	Shelf box w/ picture	1	9.4 (20.8)	

58041 1.07m (42") Shelf box w/ picture 1 8.4 (18.4)



- ▲ Rust-resistant metal frame
- Heavy-duty plastic steps
- Easy construction




Item No.	Size	Corresponding Pools	Pack	kg (Lb.)
58000	2.74m x 2.74m(9' x 9')	2.44m (8')	6	4.7 (10.4)
58001	3.35m x 3.35m(11' x 11')	3.05m (10')	4	5.7 (12.6)
58002	3.96m x 3.96m(13' x 13')	3.66m (12')	4	6.9 (15.2)
58003	4.88m x 4.88m(16' x 16')	4.57m (15')	4	9.9 (21.9)
58251	5.20m x 5.20m(17' x 17')	4.88m (16')	4	11.6 (25.6)
58031	5.79m x 5.79m(19' x 19')	5.49m (18')	4	13.7 (30.1)
Damark		II-new durable material		

CleanCast Skimmer Set

58325







- Durable mesh netting
- Lightweight, extensible, 2-segmented aluminum shaft

Minimum flow rate

Minimum wattage

4 24 Ea., 10.5 kg (23.2 Lb.)

Maintenance Kit 58013



MIT I

ner wall cleaning Yes

Includes a lightweight pole with

interchangeable vacuum and

Vacuum has a one-piece cleaning

head with reusable debris bag

Vacuum connects to garden hose

For use with 12' (3.66m) and below

Skimmer has a durable mesh

Ninimum wattage

skimmer heads

netting

▲ Full color box

4 6 Ea., 6.5 kg (14.4 Lb.)




Maintenance Kit

58098







2.79m (110"

▲ Maintenance Kit: Four-section

▲ For use with 12' (3.66m) and

4 Each Set in a clam shell

4 Sets, 6.2 kg (13.7 Lb.)

below pools

Includes a lightweight pole with interchangeable vacuum and skimmer heads

 Vacuum has a one-piece cleaning head with reusable debris bag

Skimmer has a durable mesh


netting ♣ For use with 15' (4.57m) and above

₄ Full color box 4 6 Ea., 9.2 kg (20.2 Lb.)

- Vacuum connects to garden hose
- - Description Ouantity Detailed O 1 Ea. P47 Maintenance Kit P49 Chemical Floater 1 Ea. 58072 Floating Pool Thermometer 1 Ea. Pool and Spa Test Strips 1 Ea. P50 P51 62068 Heavy-duty Repair Patch 1 Ea.

Set includes

Pool Vacuum 58212



2.24m (88"

 Four-section aluminum poles easy to assemble

▲ Three adapters for use with different pools and filter pump systems

A Removable and reusable debris and leaf bag

 Two-angled conversion nozzles, one with a brush

 Extra long vacuum hose 6m (19.7') long, 3.2cm (1.25") diameter


Attach to the filter pump for light ▲ cleaning

4 For use with 15' (4.57m) and below

₄ Full color box 4 6 Ea., 12.7 kg (28.0 Lb.)

Automatic Pool Cleaner





Minimum flow rate 3,800 L/h / 1,000 ga

 Patented design specifically for above ground pools with low flow filtration systems. (Minimum 99W and 3.8m³/h system flow rate)

 Adjustable pressure regulator regulates the water flow for use with high power pumps.

 Easy to operate. Turn on the pump and cleaner will start automatically Integrated pre-filter collects debris such as dirt,

leaves and sand to avoid clogging of pump filter Wide clip system on the bottom plate provides easy access to the debris compartment

 Float and weight provide optimum maneuverability

 Recommended for soft wall pools from 4.57m (15') to 4.87m (16')


Includes hoses with total length of 6.1m / (20')

Includes connectors compatible with most leading pool brands on the market. ■ Full color box

4 2 Ea., 9.8 kg (21.6 Lb.)

Pool* Cleaning Kit 58234





2.79m (110") Super-easy assembly

Minimum flow rate

Attach to filter pump to provide a powerful lightweight vacuum system to clean pool floor and walls

 Includes multiple adapters for connections to all Bestway pools and filter systems

Includes 2.79m (110") adjustable aluminum pole for large diameter pools

A Removable and reusable debris and leaf bag Extra long vacuum hose 6m (19.7') long,

3.2cm (1.25") diameter Vacuum has a one-piece cleaning head


 Skimmer has a durable mesh netting For use with 15' (4.57m) and below pools

■ Full color box 4 Ea., 15.0 kg (33.1 Lb.)

Pool Surface Skimmer

58233





Ninimum flow rate 3,028 L/h / 800 ga

■ Durable and corrosion-proof plastic

Mount on the pool wall for suction of floating leaves or other debris

 Attach to the filter pump for skimming automatically

♣ Fits the filter pump with 3,028 L/h (800 gal/h) flow rate and above


For use with 15' (4.57m) and above pools

■ Full color box

4 Ea., 8.9 kg (19.6 Lb.)

Deluxe Maintenance Kit





Minimum flow rate 3,028 L/h / 800 gal Minimum wattage 32W
Dimension 2.79m (110")

■ Durable and corrosion-proof plastic material △ Includes 2.79m (110") adjustable aluminum pole

for large diameter pools A Removable and reusable debris and leaf bag

Extra long vacuum hose 6m (19.7') long,
 3.2cm (1.25") diameter

Multi-functional

-Pool surface skimmer: works with the filter pump to clean floating leaves and other debris -Pool vacuum: works with the filter pump to clean pool walls and floor

-Pool skimmer: manually cleans floating debris

Attach to the filter pump for skimming and vacuuming Fits the filter pump with 3,028 L/h (800 gal/h)

flow rate and above

4 For use with 15' (4.57m) and above pools

■ Full color box

4 2 Ea., 9.8 kg (21.7 Lb.)

CleanCast Skimmer

58277



- Compatible with pool cleaning poles that are 30mm (1.2") (inner diameter)
- Remove debris from pool water
- Durable mesh netting
- 4 12 Ea., 2.7 kg (6.0 Lb.)

Pool* Pole





- 4 2.40m (95")
- ✓ Inner diameter 30mm (1.2")
- Lightweight aluminum shaft
- Ideal for attaching accessories to clean pools
- ▲ 12 Ea., 8.1 kg (17.9 Lb.)

AquaNet

58278



- Compatible with pool cleaning poles that are 30mm (1.2") (inner diameter)
- Scoop debris from pool water

E-Z-Broom Pole

- Durable mesh netting
- 4 12 Ea., 2.9 kg (6.4 Lb.)

58279

4 3.6m (142")

▲ Inner diameter 30mm (1.2")

Lightweight aluminum shaft

4 24 Ea., 18.0 kg (39.7 Lb.)

Ideal for attaching accessories to clean pools

58281

Pool



Accessories

Scrubbit Pool Brush

- 4 45.7cm (18")
- Compatible with pool cleaning poles that are 30mm (1.2") (inner diameter)
- Rust-resistant metal connector
- Quickly remove algae and grime from pool walls and pool floor
 12 Ea., 4.4 kg (9.7 Lb.)

Aquabroom

58280



- 4 45.7cm (18")
- Compatible with pool cleaning poles that are 30mm (1.2") (inner diameter)
- Quickly remove algae and grime from pool walls and pool floor
- Curved brushes to clean corners
- 4 12 Ea., 3.4 kg (7.5 Lb.)



Angler Pool Vacuum

58282





- Compatible with pool cleaning poles that are 30mm (1.2") (inner diameter)
- Brushes remove algae and grime from pool floors
- ▲ Filter powered vacuum sucks debris off the floor
- 4 12 Ea., 11.2 kg (24.7 Lb.)





- ₄ 12.7cm (5")
- △ Dispenses 2.5cm (1") chemical tablets
- Adjustable dial to control the release of



- No tablets included
- Contractive construction
- Shrink-wrapped with insert card
- 4 24 Ea., 2.5 kg (5.5 Lb.)

58071



- 4 16.5cm (6.5")
- Dispenses chlorine or bromine tablets
- Adjustable dial to control the sanitizer level



- Full color box
- 4 12 Ea., 5.0 kg (11.1 Lb.)

58209



- ₄ 18.5cm (7.3")
- △ Dispenses 7.6cm (3") chemical tablets

Easy to read temperature gauge

- Adjustable dial to control the release of chemicals
- Integrated with a thermometer
- 3 assorted colors ■ Full color box

Displays in both Fahrenheit and CelsiusNo tablets included

4 12 Ea., 6.6 kg (14.5 Lb.)



Pool and Spa Test Strips

- ▲ The ideal solution for basic pool and spa water testing
- Easy Color-Match System
- Contains 50 test strips18-Month Shelf Life

■ Blister card



▲ 3-in-1 Test Strip: -Free Chlorine -pH -Total Alkalinity

△ Measures Free Chlorine 0 to 10 ppm, Alkalinity 0 to 240 ppm and pH 6.2 to 8.4 with instant results

Swim Doctor Pool

▲ The ideal solution for basic pool and spa water testing

• Measures Free Chlorine 0.5 to 5 ppm, Bromine 1 to

10 ppm and pH 6.8 to 8.2 with instant results

4 24 Ea., 1.2 kg (2.7 Lb.)

& Spa Test Kit

4 3-Way-Pool & Spa Test Kit:

Easy Color-Match System

4 36 Sets, 6.0 kg (13.2 Lb.)

▲ 2-Year Shelf Life

▲ Plastic Box

-pH -Free Chlorine -Bromine

58274



■ 5-in-1 Test Strip: -pH -Free Chlorine -Total Chlorine -Total Hardness -Total Alkalinity

Measures pH 6.2 to 8.4, Free Chlorine 0 to 10 ppm, Total Chlorine 0 to 10 ppm, Total Hardness 0 to 1000 ppm and Total Alkalinity 0 to 240 ppm with instant results

4 24 Ea., 1.2 kg (2.7 L b)

Replacement Pool & Spa Water Test Solutions

58247

58303





Replacement solutions for Swim Doctor Pool & Spa Test Kit (#58274)

- ▲ The ideal solution for basic pool and spa water testing
- ▲ 2-Year Shelf Life
- Blister card
- 4 48 Sets, 4.2 kg. (9.3 Lb)

Pool Accessories

Repair Kit







- ^⁴ Vinyl cement (5 grams, 0.18 oz.) 4 4 repair patches (70 cm², 11 sq. in.)
- 4 Sandpaper (12 cm², 1.9 sq. in.)
- ◆ Plastic box
- 4 36 Ea., 0.8 kg (1.9 Lb.)

Pool+ Total Aquatest™

58314

NEW





△ Digitally tests the pH, chlorine levels and water temperature providing instant, accurate results

Measuring Range: Cl: Scale shows 0 to 6.0 ppm pH: Scale shows 4.0 to 10.0 ppm

- Water temperature: Scale shows 0 to 50°C (32 to 122°F)
- Easy to operate
- ▲ LED display
- ▲ Auto-lock system ▲ Anti-slip handle
- Use 1 x LR03/AAA Cell size batteries (Battery) not included)
- Full color box
- 4 40 Ea., 7.4 kg (16.4 Lb.)

Heavy-Duty Repair Patch



- 4 10 pcs included
 42.3cm² (6.55 sq. in.) stick-on patches
- Blister card
- 4 36 Ea., 0.8 kg (1.8 Lb.)

Repair Patch

62021



- - Blister card

 Blister card 4 36 Ea., 0.8 kg (1.8 Lb.)

10 pcs. included
 42.3cm² (6.55 sq. in.) stick-on patches

Assorted Float Pool Thermometer 58110



- String attached to keep thermometer in place
- Floating design
- Easy to read temperature gradation
- Displays in both Fahrenheit and Celsius
- 4 4 assorted designs Blister card
- 4 24 Ea., 3.7 kg (8.2 Lb.)



Pool * Thermometer

58324

NEW



- 4 16.5cm (6.5")
- ▲ ABS construction

4 12 Ea., 1.0 kg (2.2 Lb)

- String attached to keep thermometer in place
- Easy to read temperature gradation
- Displays in both Fahrenheit and Celsius Displays both in Fahrenheit and Celsius
 - Blister card

Floating design

4 36 Ea., 4.4 kg (9.7 Lb.)

Easy to read temperature gradation





- 0.18 oz. (5 grams) tube of vinyl cement
 130cm² (20 sq. in.) PVC swatch

- 4 36 Ea., 0.9 kg (2.0 Lb.)

Floating Pool Thermometer 58072



53

Pool Plus Alarm™



- ▲ Two-piece pool alarm system features a water surface sensor and an indoor receiver When the surface sensor detects motion on the water, it sends a signal to the receiver, activating a high-frequency warning sound
- Easy to install and convenient to use
- Provides 24-hour protection for children
- Remote alarm receiver
- Plugs into any home socket
- Can be placed up to 25m from the pool
- Conveniently located inside the user's home
- Pool surface sensor requires a 9V battery (not included)
- Alarm sensitivity can be adjusted to prevent false alarms due to environmental phenomena such as wind
- Fully waterproof construction
- Corrosion resistant for long life

Item No.	Rating	Package	Pack	kg (Lb.)	Remark
58268	110-120V~60Hz	Full color box	24	12.5 (27.5)	
58207	220-240V~50Hz	Full color box	24	12.4 (27.3)	Europe

Solar-Float Lamp



- 4 Ø18cm (Ø7")
- ₄ 1.2V ...
- Advanced LED technology,
- multi-color alternating light Waterproof
- Solar-powered
- Turns on automatically ▲ Extra long 8-hour run
 - Great for decoration on ▲ Full color box 4 24 Ea., 10.1 kg (22.3 Lb.) lawns or patios

- Simply place the Solar-Float Lamp in the
- sun and at night watch your yard come to light
- - - 4 12 Ea., 5.4 kg (11.8 Lb)

Pool Accessories



Pool+ Light NEW

58310








- Durable water proof design that can be immersed in
- the water for long periods time
- Water-powered, simply mount in the water inlet valve
 Compatible with and above 3,028 L/h (800 gal/h) filter pumps
- Package also includes an adaptor for pool valves with an outer diameter of 32mm (1.25")
- Works with most above ground pools ▲ Full color box

Pool⁺ Solar Water Heater

58288



- 4 2.21m x 86cm (87" x 34") per piece
- Easy setup
- An economical and environmentally-friendly Sturdy pre-tested vinyl way to heat swimming pool water
- Increase swimming pool water temperatures by approximately 3-5°C (5-9°F)
- Attaches to all Bestway's filter pumps and sand filters
 Compatible with all Bestway's above ground pools
- Package contains 2 pieces
 Full color box

 - 4 2 Ea., 19.2 kg (42.4 Lb.)

Here is a fast way to heat your pool this summer and extend your swimming experience. The Bestway solar water heater is convenient to set up and easy to use. Simply connect the solar heater to the pool's water filter and watch water temperatures rise by up to $3-5^{\circ}$ C (5-9°F). The solar panels are uniquely designed and can be easily connected together to get swimming pool water even warmer.



Solar-Pro Shower™

58224






- 4 41cm x 58cm (16" x 23")

- Compact and easy to use



- Reinforced handle is convenient for
- Solar heated
- Easy to read temperature strip
- hanging and transporting the shower 4 Heats up to 20 L (5.3 gal.) of water for multiple showers
- - Great for outdoor adventures
 - Full color box 4 24 Ea., 11.9 kg (26.3 Lb.)



Pool* Shower NEW

- Full color box
- 4 6 Ea., 3.0 kg (6.5 Lb)




My First Frame Pool 👬 3+

56283



57241

3 Assorted Colors



Splash and Play Pools

- Heavy-duty PVC and polyester 3-ply side walls
 Liner is supported by an inflatable top ring (For
- Select a level surface, inflate top ring and the pool will rise as it's filled with water (For 57241)
- Rust-resistant metal frames (Except 57241)
 Easy to take down for off-season storage (Except 57241)
- 4 3 assorted colors (Except 56283)
- Heavy-duty repair patchFull color box

TriTech™, a 3-ply reinforced material with a polyester mesh-core encased in two layers of laminated PVC, that offers superior strength and durability. This premium grade, above ground pool material, can withstand extreme conditions including exposure to ultraviolet rays and chlorine, plus it's stress-tested against the weight and strain of large volumes of water. (For 57241)



3 Assorted Colors









- 1.63m x 1.63m x 35.5cm (64" x 64" x 14")
 Water capacity (90%): 771 L (204 gal.)
 3 Ea., 19.9 kg (43.9 Lb.)





My First Frame Pool

56219

- 2.21m x 1.50m x 43cm (87" x 59" x 17")
 Water capacity (90%): 1,200 L (317 gal.)
 3 Ea., 30.0 kg (66.2 Lb.)



3 Assorted Colors





Splash and Play Frame Pools

- Easy set up
- * Rust-resistant metal frames
- Heavy-duty PVC and polyester 3-ply side walls
 Flow control drain valve for easy draining Valve attaches to garden hose so water can be drained away from the pool area
 Easy to take down for off-season storage
- 4 3 assorted colors
- Heavy-duty repair patchFull color box

TriTech™, a 3-ply reinforced material with a polyester mesh-core encased in two layers of laminated PVC, that offers superior strength and durability. This premium grade, above ground pool material, can withstand extreme conditions including exposure to ultraviolet rays and chlorine, plus it's stress-tested against the weight and strain of large volumes of water. (For 57241)

My First Frame Pool

56221

- 2.59m x 1.70m x 61cm (102" x 67" x 24")
 Water capacity (90%): 2,300 L (608 gal.)
 3 Ea., 44.3 kg (97.8 Lb.)







- 4 2.44m x 51cm (8' x 20")
- Easy set up
- Heavy-duty PVC and polyester 3-ply side walls
- Flow control drain valve for easy draining
- ▲ Valve attaches to garden hose so water can be drained away from the pool area
- Water mister on the top of shade attaches to home garden hoses
- Package includes a free DVD detailing pool set-up and maintenance
- Heavy-duty repair patchFull color box
- Water capacity (90%): 1,688 L (446 gal.)
- ▲ 1 Ea., 14.2 kg (31.3 Lb.)



UPF or Ultra-Violet Protection Factor is the amount of sun protection offered by the unique properties of the materials used to make this product.

Splash-in-Shade Play Pool




TriTech[™]

TriTech™, a 3-ply reinforced material with a polyester mesh-core encased in two layers of laminated PVC, that offers superior strength and durability. This premium grade, above ground pool material, can withstand extreme conditions including exposure to ultraviolet rays and chlorine, plus it's stress-tested against the weight and strain of large volumes of water.

The Reliable Sun Protection Line™

Exposure to Ultra-Violet radiation causes not only sunburn but also lasting skin damage that can result in premature skin aging, wrinkles and possibly skin cancer. Excessive exposure to Ultra-Violet radiation can also cause eye disorders such as cataracts. Young children do not understand the dangers of Ultra-Violet radiation but parents do. Protect your children with sun shade, sunscreen and specially designed UV Careful™ products. It's all in the name UV Careful™.





Index

Fast Set™ Pools

1.98m x 51cm	$(/8^{\circ} \times 20^{\circ})$	
	57252	P03

· Laure	57008	P03
	57099	P03
	57100	P03
	57066	P03

57009	P03
57108	P03
57109	P03
57072	P03

0.0023028.00	57032	P03
	57111	P03
	57112	P03
	57074	P03

333	57164	P05
See See See	57262	P05
	57263	P05
	57142	P05

	57018	P05
	57120	P05
	57121	P05
	57144	P05
	57123	P05
	57124	P05
	57082	P05

	57023	P05
	57126	P05
	57127	P05
	57084	P05

Coloredon.	57147	P07
	57148	P07
San	57150	P07

onthing	57229	PC
	57212	PC
Charmen	57213	PC

Splash Frame Pools

56040 2.21m x 1.50m x 43cm P09 (87" x 59" x 17")
56041 2.39m x 1.50m x 58cm P09 (94" x 59" x 23")

56042 2.59m x 1.70m x 61cm P09 (102" x 67" x 24") 56043 3.00m x 2.01m x 66cm P09

(118" x 79" x 26")
56044 4.00m x 2.11m x 81cm P09 (157" x 83" x 32")

3.00m x 2.01m x 66cm (118" x 79" x 26")

0.00m x 2.0m	in a docini (ind. x / z	X 20)
44	56157	P09
	56078	P09
The same of	56079	P09

4.0.0 0.44 04 (4.57) 0.01/2 0.01/2	
4.00m x 2.11m x 81cm (157" x 83" x 32")	

Steel Pro™ Frame Pools

56026

56058

/m x 2.11f	i x o iciii (i 57 - x o 5	X 32)	
4.4	56158	P09	æ
100	56082	P09	di
	56083	P09	
	56083	P09	

3.30111 x 1.02	II (130 X 40)	
Buckley	56247	P17
	56245	P17
	56246	P17
4.27m x 1.22m (14' x 48")		

			4	•	-
		a	-	-	ю
		-54	-	-	
		ac.			

	56265	P19
THE REAL PROPERTY.	56263	P19
	56264	P19
	56276	P19

1.00	P11	
4.88m	P11	
4.50	P11	

	30039	FII
	56048	P11
6m x 76cm	(12' x 30")	

56030	P11
56061	P11
56062	P11
56050	P11

	56050
66m x 1 0 0r	n (12' x 39 5")

(400 1 00)	56262	P11
ASSES NO.	56260	P11
	56261	P11
	56329	P11

66m x 1.22m (12' x 48")

	56087	P13
CHARLES OF THE PARTY OF THE PAR	56088	P13
THOSE .	56205	P13
	56259	P13
	56330	P13

Steel Pro™ Frame Pools

27m x 1.00r	m (14' x 39.5")	
12 AR	56307	P13
10年4日	56305	P13
J. 50	56306	P13
	56308	P13

o/m x 91cm	1 (15 x 36)	
	56017	P13
	56064	P13
culteral.	56066	P13

P13

P13

56282

District Con-	56099	P15
	56100	P15
Charles of the	56101	P15

5.49m x 1.22m	n (18' x 48")	
100	56150	

56052

5.49m x 1.22m (18' x 48")			
	56150	P15	
See made	56113	P15	
Name and Address of	56115	P15	

Power Steel™ Frame Pools

30m	x 1.02	n (130" x 40")	
ja L	dela-	56247	P17
-	-	56245	P17
		56246	P17
		(4.41 4.03)	

4.2/m x 1.22n	n (14 x
15246610.5	5626
AND DESCRIPTION OF	E424

4.88m x	1.22m	(16'	x 48")	

APPENDING.	56268	P19
	56266	P19
	56267	P19
	56277	P19

5.49m x	1.32m	(18'	52"

Sharp	56234	P19
	56232	P19
	56233	P19
	56280	P19

Power Steel™ **Rectangular Frame Pools**

2.87m x 2.01m x 1.00m (113" x 79" x 39.5")			
Mary Mary	56250	P21	
	56248	P21	
-	56249	P21	

Power Steel™ **Rectangular Frame Pools**

04m x 2.01m x 1.00m (159" x 79" x 39.5")				
	56253	P21		
and the later of	56251	P21		
100 100	56252	P21		
	56255	P21		

	56243	P21
	56241	P21
	56242	P21
COL.	56244	P21
	56331	P21

	56256	P23
MAN TO SERVICE	56224	P23
	56223	P23
	56225	P23

2626	56274	P23
-	56272	P23
-	56273	P23
	56278	P23

7.32m x 3.66m x 1.32m (24' x 12' x 52")		
	56231	P23
	56229	P23
Charles 19	56230	P23
	56279	P23

Steel Pro™ Oval Frame Pools

3m x 3.05m x 1.07m (16' x 10	x 42")
A-A-A F () 71	DOE

1	56271	P25
	56269	P25
	56270	P25

.49m x 3.66m x 1.22m (18' x 12' x 48")

	56160	P25
	56153	P25
	56152	P25

6.10m x 3.66m x 1.22m (20' x 12' x 48")		
	56161	P2
-	56119	P2
	56121	P2

Steel Wall Pools

	56300	P27
	56290	P27
	56291	P27
	56299	P27
	56284	P27
	56287	P27

Steel Wall Pools

	56302	P27
and the same	56292	P27
	56293	P27
STATE OF	56301	P27
	56285	P27
	56288	P27

4.88m x 3.66m x 1.22m (16' x 12' x	48")
F(20.4	D.

4.00111 x 3.00111 x 1.22111 (10 x 12 x 40)		
	56304	P29
	56294	P29
	56295	P29
	56303	P29
	56286	P29
	56289	P29

Jwciear"	" uzonator	
	58203	P30
	58202	P30

Replacement Silica

Hopiuoomoni omou		
	58206	P31

Flowelear™ Chlorinator

I IO W OI GUI	Ulliuliulul	
	58285	P31
2-20	58284	P31

Flowclear™ Sand Filter vith Nannator

WIIII UZUIIC	וווו	
-0-	58287	P34
	58286	P34

Flowclear™ Sand Filter

OF	58272	P36
1	58271	P36

Flowclear™ Sand Filter

	58269	P3
26 7	58257	P3
	58258	P3

Flowclear™ Sand Filter

o ii o i o u i	ound into	
de	58270	P37
	58199	P37
	58256	P37

Flowclear™ Sand Filter

I IO WOIDUI	oullu i illoi	
al	58316	P37
	58315	P37

Puul Heale		
	58259	P38

Pool⁺ Drain Pumn

1 001 Diam	i amp	
19	58261	P39
	58230	P39

Filter Cartridge Cleaner



Flowclear™ Filter Pumps

	58147	P40	58121	P41
	58148	P40	58122	P41
==	58149	P40	58123	P41
	58116	P41	58222	P41
58144 P40	58117	P41	58221	P41
58145 P40	58118	P41	58229	P41

Flowclear™ Cartridges

50-54-54-64	58093	P40
	58094	P40
	58012	P40
	58095	P40
	58168	P40

Hose Adanters

58236	P41

58245
58246

Solar Pool Covers

58241 P42 58152 P42 58242 P42 58153 P42 58252 P42 58243 P42

58060 P42 58172 P42 58244 P42 58061 P42 58253 P42 58240 P42

58062 P42 58173 P42 58151 P42

58065 P42 58255 P42 58254 P42

58066 P42 58155 P42 58228 P42

		58301	P43	58292	P4
		58036	P43	58293	P4
		58037	P43	58103	P4
		58248	P43	58104	P4
58032	P43	58038	P43	58105	P4
58033	P43	58134	P43	58106	P4
58034	P43	58249	P43	58107	Ρ4
58035	P43	58039	P43	58231	P4
58073	P43	58291	P43	58232	P4

			58036	P43	58293	P43
			58037	P43	58103	P43
			58248	P43	58104	P43
	58032	P43	58038	P43	58105	P43
	58033	P43	58134	P43	58106	P43
	58034	P43	58249	P43	58107	P43
	58035	P43	58039	P43	58231	P43
	58073	P43	58291	P43	58232	P43

Mini Above Ground Pools

56283

57241

56217

56218

56219

56222

A

58326 P48 62068 P51

Pool Accessories

58325 P46 58279 P48 62021 P51

58013 P46 58280 P48 62022 P51

58098 P46 58282 P49 58110 P51 58195 P46 58210 P49 58324 P51

58304 P46 58071 P49 58072 P51

58212 P47 58209 P49 58268 P52

58234 P47 58142 P50 58207 P52 58233 P47 58247 P50 58111 P52 58237 P47 58275 P50 58310 P52 58277 P48 58274 P50 58288 P53

58278 P48 58303 P50 58224 P53 58281 P48 58314 P50 58307 P53

TUUIIU GIUIIIS			
	58002 P44		
	58003 P44	58101 P44	
8000 P44	58251 P44	58102 P44	
8001 P44	58031 P44	58264 P44	

Pool Floor Protector

58220	P44
58265	P44



58245	P41
58246	P41



Splash-in-Shade Play Pool



P58 56193



P54

P54

P55

P55

P56

P56

P57

P57